


2500 LUMENS ● WXGA ● INTERACTIVE SHORT THROW PROJECTOR

PLC-WL2503

WXGA INTERACTIVE SHORT THROW PROJECTOR



3LCD



Built-in Network



Ultra Short-Throw



Closed Caption

INTERACTIVE PEN FUNCTION

The PLC-WL2503 is equipped with an interactive function. Thanks to a built in sensor and newly developed software, the projection white screen allows it to be written on with a built-in infrared light pen while using a PC.

SHORT THROW PROJECTION FROM ONLY 34 INCHES AWAY

The PLC-WL2503 can project a full 80-inch diagonal image from a distance of only 34 inches. Teachers can project images onto the screen and produce no shadow on the screen. This means they can use large images even in relatively small rooms.

WXGA, FITS A VARIETY OF APPLICATION SITUATIONS

Offering a wide XGA 1280 x 800 (16:10) resolution, the PLC-WL2503 makes it possible to project HD images with easy connection from your DVD player via HDMI terminal.

NETWORKING CAPABILITY

The PLC-WL2503 is equipped with SANYO's exclusive PJ Network Interface for wired networking, a common feature among SANYO's extensive line of commercial projectors. Networking allows the monitoring of projector functions and operation from long distance via a web browser, allowing e-mails to be sent automatically to report operating status.

NEARLY MAINTENANCE FREE

This projector offers long periods (4,000 hours in ideal condition) of maintenance-free use without the need for lamp and filter replacement. The PLC-WL2503 is equipped with SANYO's proprietary hybrid filter, composed of multiple filter layers, and the lamp lifespan has been improved. This longer life span saves time and money on maintenance.

EASY ON/OFF FUNCTION

The power turns on as soon as you connect the power cord. No need to press any buttons on the remote control or projector. You can also disconnect the power cord as soon as the power is turned off.

BLACKBOARD, COLOR BOARD MODE

In classrooms and other places where there is no screen available, images can be projected onto the blackboard or colored boards. This enables quick setup when making presentations or calling a quick meeting.

CLOSED CAPTION

PLC-WL2503 is Closed Caption compatible.

Resolution	WXGA(1280 x 800)	
Brightness (typical)	2500 Lm	
Contrast Ratio (Full on / off)	500:1	
Image Size	60"-110"	
Aspect Ratio	16:10	
Projection Lamp	230W	
Scanning Frequency	H:15-100kHz, V:50-100Hz	
Fan Noise	29.0 dBA (Eco)	
Voltage	100-240V AC (auto voltage) : 50/60 Hz	
Power Consumption	227W (Eco)	
Input signal compatibility	WUXGA, WSXGA+, WXGA+, UXGA, SXGA+, XGA, SVGA, VGA Analog : 480i/p, 575i/p, 720p(50/60), 1080i(50/60) HDMI : 480p, 575p, 720p(50/60), 1080i/p(50/60)	
Color System	NTSC, PAL, SECAM, NTSC4.43, PAL-M/PAL-N	
Projection Lens (inch)	F 1.80 f=0.26"	
Throw Ratio	0.50 : 1	
Throw Distance (feet)	2.1' - 3.9'	
Zoom / Focus	Fixed/Manual	
Up / Down Ratio	N/A	
Digital Keystone Correction	V +/- 20° (Auto Keystone)	
Digital Zoom	16x - 1/4x	
Speaker Output	10W	
Weight (lbs)	10.4 lbs.	
Dimensions (inch) W,H,D	13.8"x5.7"x15.0"	
Replacement Lamp	# 610 349 0847	
Replacement Remote	# 645 102 1724	
Filter hour* (hour)	4000h(Eco)	
Lamp Life * (hour)	4000h (Eco)	
Input	PC/Video	D-sub 15 x 1 (RGB, Component) D-sub 15 x 1 (RGB, Monitor out) Mini DIN 4pin x 1 (S-Video) RCA x 1 (Composite) HDMI x 1 (Ver.1.3)
	Audio	Stereo mini jack x 1 RCA x 2(R/L, mono)
Output	PC/Video	D-sub 15 x 1 (in common)
	Audio	Stereo mini jack x 1
Other Feature	D-sub 9pin x 1 (control port) RJ-45 x 1 (Wired LAN)	
Included Accessories	Power cord VGA cable Lens cap Pointer Pen w/batteries x2 USB cable	Quick reference guide Owner's manual (CD-ROM) Remote control w/batteries Interactive Soft (CD-ROM)
Optional Accessories	POA-COMPVGA POA-CA-SCART	(Component - VGA cable) (Scart - VGA cable)
Warranty	Three years parts and labor; 90 days original lamp; Quick Repair Program under warranty	

Because its products are subject to continuous improvement, SANYO reserves the right to modify product design and specifications without notice and without incurring any obligations.

* Lamp life may vary due to room conditions, usage, and maintenance. The replacement time is a general estimate. The brightness of a lamp usually decreases over time and use.



PRESENTATION TECHNOLOGIES
21605 Plummer Street
Chatsworth, CA 91311
Ph: 888-337-1215 (toll-free)
Fax: 818-717-2719
www.sanyoprojectors.com



Back Panel